



MATERIAL SAFETY DATA SHEET

HMIS
 H = 1
 F = 0
 R = 0
 PPE = See Section 8

Section I

Manufacturer: Siplast, an Icopal Group Company
 (800) 643-1591 or (800) 922-8800
Address: 1000 E. Rochelle Blvd., Irving, TX 75062-3940
Emergency Phone No.: CHEMTREC, (800) 424-9300 (U.S.), (703) 527-3887 (outside of U.S.)
Product Class: Silyl Terminated Polyether
Trade Name: SFT Cement

Section II - Ingredients

The criteria for listing components in this section are as follows: Carcinogens are listed when present at 0.1% or greater. Components which are otherwise hazardous according to OSHA are listed when present at 1.0% or greater. This is not intended to be a complete compositional disclosure. The composition or components of this mixture may be proprietary information. In the event of a medical emergency, compositional information will be provided to a physician or nurse.

Ingredient	NTP/IRAC OSHA CARC.	Percent	ACGIH TLV	OSHA PEL
There are no carcinogens present in this product. There are no hazardous components in this product at 1%.				

Section III - Physical Data

Odor & Appearance: Gray colored paste, mild hydrocarbon odor
Boiling Point: Not Available
Evaporation Rate: (Butyl Acetate = 1) Not available
Vapor Density (Air = 1): >1
Sp. Gr.: 1.53
Vapor Pressure: Not Available
PH: Not Available

Section IV - Fire and Explosion Data

Flash Point: N/A
LEL %: N/A **UEL %:** N/A
Unusual Fire & Explosion Hazards: May produce toxic fumes of carbon monoxide and/or carbon dioxide if burned.
Extinguishing Media: Use foam, CO₂, or dry chemical to extinguish.
Special Fire Fighting Procedures: Wear full protective clothing and positive pressure self-contained breathing apparatus.

Section V - Health Hazard Data

Effects of Overexposure:
EYES: Eye contact can cause severe irritation, repeated or prolonged eye contact may cause chemical burns.
SKIN: Skin contact may cause irritation, repeated or prolonged skin contact may cause dermatitis.
INGESTION: May be harmful if ingested.
 Short-term health affects are not expected from vapors generated at ambient temperatures.
Effects of Chronic Exposure to Product: May cause an allergic skin reaction.
Emergency & First Aid Procedures: If irritation, headache, nausea, or drowsiness occurs, remove to fresh air. Get medical attention if breathing becomes difficult or respiratory irritation persists.
EYES: Irrigate immediately with plenty of water for at least 15 minutes. Get medical attention.
SKIN: Clean product from affected area with alcohol, then wash with soap and water. Seek medical attention if irritation or redness and swelling occur.
INGESTION: Do not induce vomiting unless directed to do so by medical personnel. Consult a physician.

Section VI - Reactivity Data

Stability: Stable
Conditions to Avoid: None known
Incompatibility: Reacts with water. Reaction with water or moisture releases trace amounts of methanol (<1.0%).
Hazardous Polymerization: Hazardous reaction will not occur.
Hazardous Decomposition Products: None

Section VII - Spill or Leak Procedures

Steps to be Taken: Collect spill with absorbent material and dispose of properly. Wear gloves and safety glasses to avoid contact.

Waste Disposal Method: If this product becomes a waste, it would not be considered a hazardous waste by RCRA criteria. Dispose of in accordance with local, provincial (state), and federal regulations.

Section VIII - Special Protection Information

Protective Gloves: Wear impervious gloves such as latex or vinyl to minimize contact with skin.
Respirator: N/A
Eye Protection: Wear safety glasses to avoid eye contact.
Ventilation: General ventilation

Section IX - Special Precautions

Handling: Avoid contact with skin and eyes by wearing protective gloves and safety glasses.
Storage: Store in a cool, dry area away from incompatible materials. Do not freeze. Store away from heat sparks and flame.

Section X - Shipping Information

Special Shipping Information: Not Applicable

The information and recommendations contained herein are, to the best of Siplast's knowledge and belief, accurate and reliable as of the date issued. Siplast does not warrant or guarantee their accuracy or reliability, and should not be liable for any loss or damage arising out of the use thereof. User should satisfy himself that he has all current data relevant to his particular use.